


CUST P/N

REV

RoHS COMPLIANT
Patented

ZONE		REV	DESCRIPTION	DATE	APPROVED
		A	Initial Design	2013/6/30	LIGHT C
		B	Template Change	2019/6/10	Daniel C
		C	Drawing Template update	2022/2/10	Daniel C



Ordering Information:

620190 - 3 3 200 7

SERIES	620190	3	3	200	7	<p>COLOR CODE: 0=Black,1=Gray,2=Blue,4=Green, 6=Orange,7=Red,8=Yellow,9=White</p> <p>CABLE LENGTH: For Metric System: First digit=meter; Last two digit=cm</p> <p>WIRE TYPE: 3=H05VV-F</p>
WIRE GAUGE:	3=1.5mm ²					

ITEM	DESCRIPTION	APPROVAL
4	Label	
3	H05VV-F 1.5mm ² /3G 70°C 300/500V~ Red	VDE
2	IEC320 C19 16A 250V~	VDE
1	P-LOCK IEC320 C20 16A 250V~	VDE

UNLESS OTHERWISE SPECIFIED
1) DIMENSIONS ARE IN MILLIMETERS
2) TOLERANCES ARE:
For Inch System
Cable Length < 4FT: ±1.18in
Cable Length ≥ 4FT: ±1.97in
For Metric System
Cable Length < 1000mm: ±30mm
Cable Length ≥ 1000mm: ±50mm

THIRD ANGLE PROJECTION

ITEM # MK6632

MK Cable	
Product Name IEC P-LOCK POWER CORD IEC P-LOCK C20 to C19 16A/250V	
ITEM NO.	620190-332007
DWG NO.	620190-332007
SHEET	1 OF 1